

L2 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN  
 AN 1972:13150 CAPLUS  
 DN 76:13150  
 ED Entered STN: 12 May 1984  
 TI Urea-ammonium phosphate composite fertilizer granules  
 IN Toi, Kiyoshi; Yauchi, Kiyoshi; Minota, Narihiko; Nishikawa, Koichi  
 PA Mitsubishi Chemical Industries Co., Ltd.  
 SO Jpn. Tokkyo Koho, 7 pp.  
 CODEN: JAXXAD  
 DT Patent  
 LA Japanese  
 IC C05GBCD; B01J  
 CC 19 (Fertilizers, Soils, and Plant Nutrition)  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 46009211	B4	19710309	JP	19660621 <--
AB	Liquidities of (NH <sub>4</sub> ) <sub>3</sub> PO <sub>4</sub> or (NH <sub>4</sub> ) <sub>3</sub> PO <sub>4</sub> + (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> slurries were increased by addition of >70% aqueous urea instead of H <sub>2</sub> O only and the slurries were pelletized with urea powders to give hard spherical composite fertilizers containing 3-20 weight% (as N) urea. For example, a slurry consisting of (NH <sub>4</sub> ) <sub>3</sub> PO <sub>4</sub> 2745, (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> 2320, impurity 225, and H <sub>2</sub> O 1665 kg/hr was mixed at 100° to 23.1% H <sub>2</sub> O content with 915 kg/hr urea (aqueous solution), mixed with 915 kg/hr powdered urea and 2800 kg/hr KCl, fed into a pelletizer with partial recirculation at 73°, and dried to give a composite fertilizer (total N 16.21, P <sub>2</sub> O <sub>5</sub> 16.92, and K <sub>2</sub> O 16.66%) with 2.25 kg hardness for 2-4-mm-diameter particles).				
ST	urea phosphate fertilizer; ammonium phosphate fertilizer				
IT	Fertilizers				
	RL: BIOL (Biological study)				
	(ammonium-urea phosphate, manufacturing of granulated)				
IT	8068-14-2				
	RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)				
	(as fertilizers)				